


10/718,764

C:\Program Files\Stnexp\Queries\764\764a.str





chain nodes :
1 2 3 4 5 6 7 8 9 10

chain bonds :
1-2 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10

exact bonds :
1-2 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
9:CLASS 10:CLASS



chain nodes :

1 2 3 4 5 6 7 8 9 10 15 16 17 18

chain bonds :



1-2 2-3 3-4 4-5 4-15 4-16 5-6 6-7 7-8 7-17 7-18 8-9 9-10

exact bonds :

1-2 2-3 3-4 4-5 4-15 4-16 5-6 6-7 7-8 7-17 7-18 8-9 9-10

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
9:CLASS 10:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS



chain nodes :

1 2 3 4 5 6 7 8 9 10 11

chain bonds :

1-2 2-3 3-4 4-5 4-6 4-7 6-9 7-8 8-11 9-10

exact bonds :

1-2 2-3 3-4 4-5 4-6 4-7 6-9 7-8 8-11 9-10

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
9:CLASS 10:CLASS 11:CLASS

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

<http://www.cas.org/support/stngen/stdoc/properties.html>

Uploading C:\Program Files\Stnexp\Queries\764\764a.str

```
Match level :
1:CLASS  2:CLASS  3:CLASS  4:CLASS  5:CLASS  6:CLASS  7:CLASS  8:CLASS  9:CLASS
10:CLASS
```

FULL SEARCH INITIATED 16:52:59 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 34408 TO ITERATE

Uploading C:\Program Files\Stnexp\Queries\764\764b.str

```

chain nodes :
1 2 3 4 5 6 7 8 9 10 15 16 17 18
chain bonds :
1-2 2-3 3-4 4-5 4-15 4-16 5-6 6-7 7-8 7-17 7-18 8-9 9-10
exact bonds :
1-2 2-3 3-4 4-5 4-15 4-16 5-6 6-7 7-8 7-17 7-18 8-9 9-10

```

```

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS

```

L3 STRUCTURE UPLOADED

```

=> s L3 sss full
FULL SEARCH INITIATED 16:53:23 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 298 TO ITERATE

```

```

100.0% PROCESSED      298 ITERATIONS      8 ANSWERS
SEARCH TIME: 00.00.01

```

L4 8 SEA SSS FUL L3

```

=>
Uploading C:\Program Files\Stnexp\Queries\764\764c.str

```

```

chain nodes :
1 2 3 4 5 6 7 8 9 10 11
chain bonds :
1-2 2-3 3-4 4-5 4-6 4-7 6-9 7-8 8-11 9-10
exact bonds :
1-2 2-3 3-4 4-5 4-6 4-7 6-9 7-8 8-11 9-10

```

```

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS

```

L5 STRUCTURE UPLOADED

=> s L5 sss full

FULL SEARCH INITIATED 16:53:44 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 25055 TO ITERATE

100.0% PROCESSED 25055 ITERATIONS

5 ANSWERS

SEARCH TIME: 00.00.01

L6 5 SEA SSS FUL L5

FILE 'CAPLUS' ENTERED AT 16:53:54 ON 08 FEB 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Feb 2008 VOL 148 ISS 7
FILE LAST UPDATED: 7 Feb 2008 (20080207/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> d his

(FILE 'HOME' ENTERED AT 16:51:41 ON 08 FEB 2008)

FILE 'REGISTRY' ENTERED AT 16:52:30 ON 08 FEB 2008

L1	STRUCTURE UPLOADED
L2	4 S L1 SSS FULL
L3	STRUCTURE UPLOADED
L4	8 S L3 SSS FULL
L5	STRUCTURE UPLOADED
L6	5 S L5 SSS FULL

FILE 'CAPLUS' ENTERED AT 16:53:54 ON 08 FEB 2008

=> s L2

L7	2 L2
----	------

=> s L4

L8	6 L4
----	------

=> s L6

L9	3 L6
----	------

=> d his

(FILE 'HOME' ENTERED AT 16:51:41 ON 08 FEB 2008)

FILE 'REGISTRY' ENTERED AT 16:52:30 ON 08 FEB 2008

L1	STRUCTURE UPLOADED
L2	4 S L1 SSS FULL
L3	STRUCTURE UPLOADED
L4	8 S L3 SSS FULL
L5	STRUCTURE UPLOADED
L6	5 S L5 SSS FULL

FILE 'CAPLUS' ENTERED AT 16:53:54 ON 08 FEB 2008

L7	2 S L2
L8	6 S L4
L9	3 S L6

```
=> s L7 (L) L8
L10          2 L7 (L) L8

=> s L10 (L) L9
L11          1 L10 (L) L9

=> d L11 ibib so abst hitstr
'ABST' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'
```

The following are valid formats:

```
ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
          SCAN must be entered on the same line as the DISPLAY,
          e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
          containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
          its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
          structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
          its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
          structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs
```

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format

specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):ibib

L11 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:467942 CAPLUS <<LOGINID::20080208>>

DOCUMENT NUMBER: 141:24956

TITLE: Elastomeric silicone-containing polymers prepared by acyclic diene metathesis polymerization

INVENTOR(S): Wagener, Kenneth B.; Sworen, John C.; Zuluaga, Hector F.; Matloka, Piotr

PATENT ASSIGNEE(S): University of Florida, USA

SOURCE: PCT Int. Appl., 26 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004048443	A1	20040610	WO 2003-US37327	20031121
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2003295786	A1	20040618	AU 2003-295786	20031121
US 2004127662	A1	20040701	US 2003-718764	20031121
PRIORITY APPLN. INFO.:			US 2002-427995P	P 20021121
			WO 2003-US37327	W 20031121
REFERENCE COUNT:	6	THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

=> log y